





WE OPEN  
— THE —  
**DOORS**  
to the  
**FUTURE**



**move**<sup>®</sup>  
automation



website

more than door and gates  
automation solutions...



[www.moveautomation.pt](http://www.moveautomation.pt)



# FORCE<sup>+</sup>



**Para portas seccionadas ou basculantes até 16m<sup>2</sup>**  
**ES Para puertas seccionales o basculantes de hasta 16m<sup>2</sup>**  
**EN For sectional and tilting doors up to 16m<sup>2</sup>**  
**FR Pour portes sectionnelles ou basculantes jusqu'à 16m<sup>2</sup>**

**FORCE<sup>+</sup>600 | FORCE<sup>+</sup>1000 | 1000 speed | FORCE<sup>+</sup>1200**


|  |                   |                    |                         |
|--|-------------------|--------------------|-------------------------|
|  | ≥ 9m <sup>2</sup> | ≥ 14m <sup>2</sup> | ≥ 16m <sup>2</sup>      |
|  | 90 Kg             | 140 Kg             | 160 Kg                  |
|  | 160 mm/seg        | 160 mm/seg         | 200 mm/seg   160 mm/seg |




wi-fi usb device  
opcional/optional



KIT



3300mm | 3600mm | 4200mm



# base

**Para portas seccionadas até 40m<sup>2</sup>**  
**ES Para puertas seccionales hasta 40m<sup>2</sup>**  
**EN For sectional doors up to 40m<sup>2</sup>**  
**FR Pour portes sectionnelles jusqu'à 40m<sup>2</sup>**




wi-fi usb device  
opcional/optional



**base35 | base50 | base70 | base120**

|  |                    |                    |                    |                    |
|--|--------------------|--------------------|--------------------|--------------------|
|  | ≤ 18m <sup>2</sup> | ≤ 24m <sup>2</sup> | ≤ 28m <sup>2</sup> | ≤ 40m <sup>2</sup> |
|  | ≤ 234 Kg           | 312 Kg             | 364 Kg             | 540 Kg             |
|  | ≤ 14m <sup>2</sup> | ≤ 20m <sup>2</sup> | ≤ 24m <sup>2</sup> | ≤ 36m <sup>2</sup> |
|  | 182 Kg             | 260 Kg             | 312 Kg             | 468 Kg             |
|  | ≤ 5 m              | ≥ 8 m              | ≥ 10 m             |                    |
|  |                    | 25,40              |                    | 25,40 / 31,750     |

base  
35  
KIT



base50 /  
base70 /  
base120  
KIT



# Slider<sup>+</sup>

**Para portões de correr com peso até 800 kg**  
**ES Para puertas correderas hasta 800 kg**  
**EN For sliding gates weighing up to 800 kg**  
**FR Pour portails coulissants jusqu'à 800 kg**

# Slider ind.

**até 2000 kg**  
**ES hasta 2000 kg**  
**EN up to 2000 kg**  
**FR jusqu'à 2000 kg**

# Strong

**até 4000 kg**  
**ES hasta 4000 kg**  
**EN up to 4000 kg**  
**FR jusqu'à 4000 kg**



**Slider<sup>+</sup>500 | Slider<sup>+</sup>800**

|  |            |            |
|--|------------|------------|
|  | 500 Kg     | 800 Kg     |
|  | 156 mm/seg | 186 mm/seg |

**Slider ind. 1000 24V | Slider ind. 1500 | Slider ind. 2000**

|  |          |          |          |
|--|----------|----------|----------|
|  | 1000 Kg  | 1500 Kg  | 2000 Kg  |
|  | 12 m/min | 12 m/min | 12 m/min |



**Strong 4000**

|  |         |
|--|---------|
|  | 4000 Kg |
|  | 15m/min |

KIT



# Select<sup>+</sup>

# bend >



**Para portões de batente até 4 metros por folha.**  
**ES Para puertas batiente de hasta 4 metros por hoja.**  
**EN For swing gates up to 4 meters per leaf**  
**FR Pour portails battants jusqu'à 4 mètres par vantail.**




## bend >

|  |               |              |
|--|---------------|--------------|
|  | 4 m (230V)    | 2,5 m (24V)  |
|  | 400 Kg (230V) | 500 Kg (24V) |

## Select<sup>+</sup>300 | Select<sup>+</sup>400 | Select<sup>+</sup>600

|  |   |     |     |
|--|---|-----|-----|
|  | 2 m                                     | 3 m | 4 m |
|  | 350 Kg (230V/110V) / 300 Kg (24V)       |     |     |
|  | 1,8 cm/seg (230V/110V) / 2 cm/seg (24V) |     |     |



KIT




KIT

# EASY




**Para portas de correr automáticas em vidro com passagem peatonal até 2,4 metros**  
**ES Para puertas correderas automáticas de vidrio con paso peatonal de hasta 2,4 metros**  
**EN For automatic sliding glass doors with pedestrian passage up to 2.4 meters**  
**FR Pour portes coulissantes automatiques en verre avec passage piéton jusqu'à 2,4 mètres**



## EASY 1\* | EASY 1\*+2

brushless

|  |                     |                     |
|--|---------------------|---------------------|
|  | 1* ≤ 130 Kg         | 2* ≤ 120 Kg         |
|  | ≥ 400 ≤ 2000mm (1*) | ≥ 400 ≤ 1200mm (2*) |
|  | 15~55cm/s           |                     |
|  | 15~55cm/s           |                     |



KIT

# TigerBolt



**Para grades de enrolar até 6m e até 360 Kg**  
**ES Para Puertas enrollables hasta 6 metros y hasta 360 Kg**  
**EN For rolling shutters up to 6 meters and up to 360Kg**  
**FR Pour portes enrollables allant jusqu'à 6 mètres et 360 kg**



## Bolt 160 | Bolt 360 | Tiger 420

|  |          |          |        |
|--|----------|----------|--------|
|  | 160 Kg   | 360 Kg   | 350 Kg |
|  | ≤ 6 m    |          |        |
|  | 10 RPM   | 9,5 RPM  |        |
|  | Ø 60 mm  | Ø 76 mm  |        |
|  | Ø 200 mm | Ø 240 mm |        |



KIT


# Lift



**Barreira uso intensivo com haste extensível até 6m**  
**ES Barrera uso intensivo con asta extensible hasta 6m**  
**EN Intensive use road barrier with extendable bar up to 6m**  
**FR Barrière usage intensif avec lisse extensible jusqu'à 6m**



Lift/BL  
brushless



KIT



**Acessórios** Es Accesorios EN Accessories FR Accessoires

|           |                          |                 |                 |              |        |                                |
|-----------|--------------------------|-----------------|-----------------|--------------|--------|--------------------------------|
|           |                          |                 |                 |              |        |                                |
| TXMF+     | TXMFW                    | TXMF1 868Mhz    | WBM1            | WKM0         | FLM1   | SDM1                           |
|           |                          |                 |                 |              |        |                                |
| LBMF1     | LABM1                    | FOTOP-SP2       | FOTOP-L         | FOTOP-M      | ADRM1  | ADRM2                          |
|           |                          |                 |                 |              |        |                                |
| ADKM1     | BPBM                     | ESBM            | KSM1            | KSM2         | BPBM   | QRHCM 8m                       |
|           |                          |                 |                 |              |        |                                |
| CEBM      | CLBM                     | 8PCCM           | DC101           | ELM1         | RMM1   | RBM1                           |
|           |                          |                 |                 |              |        |                                |
| ACRV6     | 3300mm   3600mm   4200mm | 3150mm   3500mm | 3150mm   3500mm | MEB01        | MV2-01 | MEB02                          |
|           |                          |                 |                 |              |        |                                |
| MV1DIP-01 | BCBM                     | FCBM            | MV3-02          | MV1-01 Wi-Fi | UWDM   | Wi-Remote<br>www.Wi-Remote.com |



find more



**Move Automation**  
 Pq. Emp. de Padreiro, Rua de Paul, nº411  
 4970-500 Arcos de Valdevez - Portugal  
 Tel./Phone: + 351 258 931 334

**move**<sup>®</sup>  
 automation



[www.moveautomation.pt](http://www.moveautomation.pt)

