

FORCE⁺

Para portas seccionadas ou basculantes até 16m²
ES Para puertas seccionales o basculantes de hasta 16m²
EN For sectional and tilting doors up to 16m²
FR Pour portes sectionnelles ou basculantes jusqu'à 16m²




FORCE⁺600 | FORCE⁺1000 | 1000 speed | FORCE⁺1200

	≥ 9m ²	≥ 14m ²	≥ 16m ²
	90 Kg	140 Kg	160 Kg
	160 mm/seg	160 mm/seg	200 mm/seg
			160 mm/seg




wi-fi usb device
opcional/optional

KIT



3300mm | 3600mm | 4200mm





base

Para portas seccionadas até 40m²
ES Para puertas seccionales hasta 40m²
EN For sectional doors up to 40m²
FR Pour portes sectionnelles jusqu'à 40m²







wi-fi usb device
opcional/optional

base
35
KIT



base50 /
base70 /
base120
KIT



base35 | base50 | base70 | base120

	≤ 18m ²	≤ 24 m ²	≤ 28 m ²	≤ 40 m ²
	≤ 234 Kg	312 Kg	364 Kg	540 Kg
	≤ 14m ²	≤ 20 m ²	≤ 24 m ²	≤ 36 m ²
	182 Kg	260 Kg	312 Kg	468 Kg
	≤ 5 m	≥ 8 m	≥ 10 m	
		25,4 0		25,4 0 / 31,75 0

Slider⁺

Para portões de correr com peso até 800 kg
ES Para puertas correderas hasta 800 kg
EN For sliding gates weighing up to 800 kg
FR Pour portails coulissants jusqu'à 800 kg



Slider⁺500 | Slider⁺800

	500 Kg	800 Kg
	156 mm/seg	186 mm/seg

Slider ind.

até 2000 kg
ES hasta 2000 kg
EN up to 2000 kg
FR jusqu'à 2000 kg

Slider ind. 1000 24V | Slider ind. 1500 | Slider ind. 2000

	1000 Kg	1500 Kg	2000 Kg
	12 m/min	12 m/min	12 m/min

Strong

até 4000 kg
ES hasta 4000 kg
EN up to 4000 kg
FR jusqu'à 4000 kg



Strong 4000

	4000 Kg
	15m/min




Select⁺

bend >



Para portões de batente até 4 metros por folha.
ES Para puertas batiente de hasta 4 metros por hoja.
EN For swing gates up to 4 meters per leaf
FR Pour portails battants jusqu'à 4 mètres par vantail.



Select ⁺ 300 Select ⁺ 400 Select ⁺ 600			
2 m	3 m	4 m	
350 Kg (230V/110V) / 300 Kg (24V)			
1,8 cm/seg (230V/110V) / 2 cm/seg (24V)			




bend >


4 m (230V)	2,5 m (24V)
400 Kg (230V)	500 Kg (24V)



KIT




KIT



EASY

Para portas de correr automáticas em vidro com passagem pedonal até 2,4 metros
ES Para puertas correderas automáticas de vidrio con paso peatonal de hasta 2,4 metros
EN For automatic sliding glass doors with pedestrian passage up to 2.4 meters
FR Pour portes coulissantes automatiques en verre avec passage piéton jusqu'à 2,4 mètres




EASY 1- | EASY 1-2

1* ≤ 130 Kg	2* ≤ 120 Kg
≥ 400 ≤ 2000 mm (1*)	≥ 400 ≤ 1200 mm (2*)
15 ~ 55 cm/s	
15 ~ 55 cm/s	



brushless

KIT



TigerBolt



Para grades de enrolar até 6m e até 360 Kg
ES Para Puertas enrollables hasta 6 metros y hasta 360 Kg
EN For rolling shutters up to 6 meters and up to 360Kg
FR Pour portes enrollables allant jusqu'à 6 mètres et 360 kg



Bolt 160 | Bolt 360 | Tiger 420

160 Kg	360 Kg	350 Kg
≤ 6 m		
10 RPM	9,5 RPM	
ø 60 mm	ø 76 mm	
ø 200 mm	ø 240 mm	



Lift




Barreira uso intensivo com haste extensível até 6m
ES Barrera uso intensivo con asta extensible hasta 6m
EN Intensive use road barrier with extendable bar up to 6m
FR Barrière usage intensif avec lisse extensible jusqu'à 6m



Lift/BL
brushless

KIT





Acessórios ES Accesorios EN Accessories FR Accessoires



TXMF+



TXMFW



TXMF1 868Mhz



WBM1



WKM0



FLM1



SDM1



LBMF1



LABM1



FOTOP-SP2



FOTOP-L



FOTOP-M



ADRM1



ADRM2



ADKM1



BPBM



ESBM



KSM1



KSM2



BPBM



QRHCM

8m



CEBM



CLBM



8PCCM



DC101



ELM1



RMM1



RBM1



C22Z



ACRV6



3300mm | 3600mm | 4200mm



3150mm | 3500mm



3150mm | 3500mm



MEB01



MV2-01



MEB02



MV1-01



MV1DIP-01



BCBM



FCBM



MV3-02



MV1-01 Wi-Fi



UWDM




Wi-Remote
www.Wi-Remote.com



find more

scan me



Move Automation
Pq. Emp. de Padreiro, Rua de Paúl, nº411
4970-500 Arcos de Valdevez - Portugal
Tel./Phone: + 351 258 931 334

move
automation



www.moveautomation.pt

